

# CRYSTAL MARK

Dental Systems, Inc.  
613 Justin Avenue • Glendale, California 91201-2396  
(818)240-7596 • FAX (818)247-3574

## MATERIAL SAFETY DATA SHEET

### *SECTION I - PRODUCT IDENTIFICATION*

**Trade Name:** Micrograded Alundum Aluminum Oxide (W)      **Date Prepared:** 01-01-01  
**Manufacturer's Name:** CRYSTAL MARK Dental Systems, Inc.  
613 Justin Avenue  
Glendale, CA 91201      **EMERGENCY #:** (818)240-7596

### *SECTION II - INGREDIENTS*

**Chemical Names:** Aluminum Oxide (Al<sub>2</sub>O<sub>3</sub>) @ 99%  
**CAS Numbers:** 1344-28-1  
**Exposure Limits in Air;**  
**ACGIH:** 10 mg/m<sup>3</sup>      **TLV:** 10 mg/m<sup>3</sup>      **OSHA:** 10 mg/m<sup>3</sup>      **PEL:** 10 mg/m<sup>3</sup>

### *SECTION III - PHYSICAL DATA*

**Boiling Point:** N/A      **Melting Point:** 2072°C      **Specific Gravity:** 3.95  
**Vapor Pressure:** None      **Vapor Density:** N/A      **Evaporation Rate:** None  
**Solubility in Water:** Insoluble      **Solubility in Alcohol:** None  
**Appearance and Odor:** Granular, white, no odor

### *SECTION IV - FIRE AND EXPLOSION HAZARD DATA*

**Flash Point:** None  
**Flammable Limits:** LEL: N/A      UEL: N/A  
**Extinguishing Media:** None  
**Special Firefighting Procedures:** None  
**Unusual Fire and Explosion Hazards:** None

## ***SECTION V - HEALTH HAZARD DATA***

### **Effects of Overexposure [*Conditions to Avoid*]:**

*Inhaled* - May cause coughing, shortness of breath.

*Contact with Skin and Eyes* - May irritate eyes

*Absorbed through Skin* - Not absorbed, may cause abrasion.

*Swallowed* - No known adverse effects, ingestion not recommended.

**Health Effects or Risk from Exposure:** *Acute* - May cause shortness of breath.

*Chronic* - May effect breathing capacity.

### **Emergency and First Aid Procedures:**

*Eye Contact* - Wash with large amount of water, obtain first aid if needed.

*Skin Contact* - Obtain first aid if needed.

*Inhaled* - Remove to fresh air, apply artificial respirator if needed. Obtain medical assistance.

*Swallowed* - Obtain first aid if needed.

**Suspected Cancer Agent:** No

## ***SECTION VI - REACTIVITY DATA***

**Stability:** STABLE

**Conditions to avoid:** Inert

**Incompatibility (materials to avoid):** Inert

**Hazardous Polymerization:** Inert

**Hazardous Decomposition Products:** Inert

## ***SECTION VII - SPILL OR LEAK PROCEDURES***

**Steps to be taken in case material is released or spilled:** Normal clean up procedures, respirators may be required.

**Waste Disposal Method:** Disposal must be made in accordance to Federal, State and Local Regulations.

## ***SECTION VIII - SPECIAL PROTECTION INFORMATION***

**Respiratory Protection:** As needed, approved dust respirator, see OSHA 29CFR1910.134

**Ventilation:** Handle with adequate ventilation for nuisance dust.

**Protective Gloves:** As desired **Eye Protection:** Recommended, see OSHA 29CFR1910.134

**Other Protective Equipment:** NAIF

**Protective Measures During Maintenance of Contaminated Equipment:** See sections VII and VIII

## ***SECTION IX - TRANSPORTATION REGULATORY REQUIREMENTS***

Not regulated by D.O.T.

NAIF = No applicable information found N/A = Not Applicable

*This product safety data sheet is offered solely for your information, consideration and investigation. CRYSTAL MARK Dental Systems, INC. provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. 010497, MSDSA10xW*